

UNSUCCESSFUL TENDER DETAILS					
S.NO	COMPANY NAME	TENDER REF NUMBER	TENDER TITLE	CLOSING DATE	CONTACT DETAILS
1	NCTPS	SE/MI/NCTPS/213/13-14		18-12-2013 At 14.00 Hrs	SUPERINTENING ENGINEER/MECHANICAL-I,NCTPS,CHENNAI-120.Phone: +91-44-27950055E-Mail: sem1nctps@tneb.net.org
2	NCTPS	SE/O/ NCTPS/57/ 2013-14		19-12-2013 at 14:00 Hrs	Office of the Superintending Engineer/Operation/NCTPS/Chennai,Phone: +91-44-27950055,Chennai-600120.
3	BHEL	BAP LSF SHOT 09	Cleaning, Grinding, Shot blasting, Painting & Lettering of components of ESP, APH, Fan and Gates and Damper and Running meter materials including spreading & cleaning inside BHEL/BAP/pre mises.	27-Dec-2013 14:00 hours	Corporate Office,Bharat Heavy Electricals Limited,Asiad,New Delhi.Phone: 23365279
4	NPCIL	NPCIL/KKNPP/MECH/PT/241/2013		03-Jan-2013 10:00 hours	Shri. V.S. Pandurangi, SO/D(CTC) / Shri. T. Suresh, SO/D(CTC),Phone no. 04637 – 282346, 282334, 282350 E-mail : tenders@kknpp.com
5	Military Engineering Services	8423 02 E8	Repair to transformers painting of transformers ocbs and It panel boards etc at dgqa cqa under ge i fy avadi	06-Jan-2014 16:00 hours	S Senthil Kumar,Phone: +91-44-26842283Fax: +91-44-26842184E-Mail: geifyavadi@yahoo.com
6	NLC Ltd	CGM/MI/NAMC/BHD/EXP-OTE/B130/13-14SAP	Blasting works due to Enhanced Explosives consumption	21/DEC/13 03:30 pm	The Dy. General Manager / Tech. / Mine-I&IA Administrative office, Mine-I&IA, Block 26,Neyveli Lignite Corporation Neyveli.Limited,

7	TNEB Tender	SE/GCC-I/CNI/No.105/2013-2014	Supply, fabrication sand blasting, zinepainting & erection of RS Joist, MSChannels, Angle, MS Plate and supplyand provision of earth mat and earthraisers, earth bore for establishmentof 110/33-11 KV SS at PERUMBAKKAM	24-12-2013 at 14:00 Hrs.	Tamil Nadu Electricity Board ,Chennai,Tamil Nadu,India,E-Mail: ganeshjayarraj@gmail.com
8	MTPS Tender	SE / M-I / MTPS-I / CA / OT 306/ 2013-14	MTPS-I - CA - FP - Erection of Hydrant line from Fire water pump house to Fire hydrant point No.: 2 & 3 at cooling water pump house area etc	27-Dec-2013 14:00	Superintending Engineer Mechanical-I, Mettur Thermal Power Station,Mettur Dam- 636 406.Ph No: 04298240132,E-Mail: semech1mtps@tnebnet.org
9	Southern Railway	ELW/E221/I/8/Cont/CF C/PU Paint/WC-1	Polyurethane painting of Electric Locomotives at Loco works, Chennai-23.	21-Jan-2014 at 15.30 Hrs.	CWM/LW/PER,Chief Workshop Manager, Loco works, Ayanavaram,Chennai-600023.
10	Balmer Lawrie&Co ltd	SBUPC /Sandblasting /298/1314	Carrying out Sandblasting and painting of structurals at site	31-Dec-2013 at 17.30	SBU Performance Chemicals 32, Manali,Chennai - Tamil Nadu,India, 600068,Chief Manager SCM,Phone / Fax: 25946563 / 25941156Email:george.j@balmerlawrie.com
11	TNEB	LT.No.2/13-14, dt.03.12.13	Painting of 100MVA, 230/110KV EMCO Make Auto Tr-I And 16MVA, 110/11KV HHE Make Power Tr-3 At Manali 230KV SS	27-Dec-2013 14.30Hrs	SE/Operation I / Chennai,seochn@tnebnet.org,26 242522,26242522,Superintending Engineer, Operation - I / Chennai, Korattur 230 KV SS campus, Chennai -80.
12	NCTPS	SE/M.II/NCTPS/SP.NO.1 17/13-14	NCTPS-M.II Circle- ICHS - Dvn. – Conveyor- 7 Shot blasting and Epoxy painting ofConveyor-7 Gallery portion and Shortsupport structures.	10-Jan-2014 14.30Hrs	O/o.SE/MII/NCTPS/Chennai,Chennai-120,Ph No : 9445856699...E mail id : sem2nctps@tnebnet.org

13	NCTPS	SE/M.II/NCTPS/SP.NO.18/13-14	NCTPS – M.II Circle – ICHS – Renovation of the corroded / damaged,chequered plates, channels and painting of Gallery portion and Short support structures of Conveyor – 9.	10-Jan-2014 14.30Hrs	O/o.SE/MII/NCTPS/Chennai,Chennai-120,Ph No : 9445856699...E mail id : sem2nctps@tnebnet.org
14	MTPS	SE / M-I / MTPS-I / TM / OT 315 / 2013-1	MTPS-I - TM - Units-I & II - Complete overhauling and painting of IAC – IA, IB, IC, 2B & 2C and SAC - IA, IB & IC.	31-Dec-2013 14.00Hrs	O/o.SE/Mech-I/MTPS,semech1mtps@tnebnet.org,4298240132,Superintending Engineer Mechanical-I,Mettur Thermal Power Station Mettur Dam-636 406.
15	NCTPS	CE/NCTPS/SE/MII/128/13-14	NCTPS MII Circle ECHS Shot Blasting and Epoxy Painting of Steel structures of conveyor BCN44 BCN45 BCN52 BCN58 BCN60 and connected Junction towers in the External Coal Handling System at NCTPS.	31-Jan-2014 14.00Hrs	Superintending Engineer Mechanical II North Chennai Thermal Power Station NCTPS Chennai 120 E Mail id : sem2nctps@yahoo.co.in
16	BHEL-TRICHY	NIT_16083	Work of pre-treatment and painting of Reactor Headers at BHEL Trichy including Unit II.	20-Jan-2014 10.30Hrs	Multi-Sectoral,Webmaster,Corporate Office, BHEL, Asiad, New Delhi,New Delhi,Ph No : 23365279..
17	MTPS-METTUR	SE/M.II/MTPS/OT.Enq.No.201/2013-14	MTPS-I – Mech-II - CHP-II- Conveyor -13 - scrapping, cleaning and painting of structures at conveyor 13 and its cross structure, support deck plates (except junction tower and north end tower) with one coat of red oxide, 1st coat of smoke grey and 2nd coat of dark grey enamel paint.	41298.583	SE/Mech-II/MTPS Superintending Engineer Mechanical-II, Mettur Thermal Power Station Mettur Dam- 636 406. Ph No: 04298240393 E-Mail: sem2mtps@tnebnet.org

18	MTPS-METTUR	SE/M.II/MTPS/OT.Enq.No.202/2013-14	MTPS-I – MTPS-I – Mech-II - CHP-II- Painting of stacker-cum- Reclaimer machine-I with one coat of red oxide, 1st coat of smoke grey and 2nd coat of dark grey enamel paint after proper scrapping,cleaning of the complete structure.	41298.583	SE/Mech-II/MTPS Superintending Engineer Mechanical-II, Mettur Thermal Power Station Mettur Dam- 636 406. Ph No: 04298240393 E-Mail: sem2mtps@tnebnnet.org
19	MTPS-METTUR	SE/M-II/MTPS-I/OT Enq. No. 205 / 2013-14	MTPS-I - O&AHS - FOPH – Removal and cleaning of old LSHS and HFO oil sediments left in the bottom of Tank No. 3, Cleaning & painting of outer surface of HFO Tank No. 3 and its connecting pipelines and structures.	41668.583	SE/Mech-II/MTPS sem2mtps@tnebnnet.org 04298240393 Superintending Engineer - Mechanical -II Mettur Thermal Power Station Mettur Dam - 636406 METTUR DAM
20	MTPS-METTUR	SE/M-II/MTPS-I/OT Enq. No.212 / 2013-14	MTPS-I-CHP-I-Wagon Tippler-Surface cleaning and applying steel protective coating (Cley coat 300P) on the wagon tippler – I & II table arrangements	05-Feb-2014 14:00	SE/Mech-II/MTPS Ph No: 04298240393 Superintending Engineer Mechanical-II, Mettur Thermal Power Station Mettur Dam- 636 406.P No: 04298240132 E-Mail: sem2mtps@tnebnnet.org
21	CORPORATION OF CHENNAI	Br.D.C.No.B 3/ 057/2014	Relaying of Wearing Coat and Epoxy Painting to the Existing Kodambakkam over bridge in Divisions 110 134 Zone IX X.	41677.646	TONDIARPET Phone Office : 044-25961199 Address : Corporation of Chennai, Ripon Buildings, No.1131, EVR Periyar Salai, Park Town, Chennai-600 003 City : Chennai

22	ETPS	SE/MM-II/OT – 621	ETPS - I/M-II Circle – Dredging Division.– Dredger No:2 – Reconditioning of worn-out & eroded damaged suction side and engine side end cover and wear plates of Dredger pump by gouging fatigued material and sand blasting to remove the complete impurities material and preparation for the next sequence operation of filling the pocket holes and deep cavities and further filing up two layer with 10mm with special welding electrodes and Hard facing of 4mm thickness by welding for giving hard metal deposit to resist high wear resistance	13-Feb- 2014 14:30	SE/Mech.Maint II ETPSE-Mail: semm2etps@tnebnnet.org Office Phone: 04425750494 Fax: 04425751978 Address: Superintending Engineer Mechanical Maintenance II Ennore Thermal Power Station Ennore Chennai 600057 City: Chennai 600057..
23	BHEL- TRICHY	LOG/CCC/1 3/8008E	MANUAL CLEANING AND PAINTING OF PIPES AND STRUCTURES AT LOGISTICS BHEL TRICHY 14 FOR A PERIOD OF ONE YEAR	26-Feb- 2014 10:30	Engineer/CCC/Logistics Ph No : 0431-2571579) OR DGM/CCC/Logistics (0431- 2571549), M/s Bharat Heavy Electricals Limited, Tiruchirapalli – 620014, Email:krishnasamad@bheltry.co. in
24	SOUTHERN RAILWAY	mas01-of- 2014-item no. 01	Anticorrosive painting of rails, greasing of ERCs at very severely corrosive prone & severely corrosive prone locations in ADEN/TBM Sub- divn.	41704.479	Address - Sr. DEN Coordination MAS Office of the Divisional Railway Manager Southern Railway Park Town Chennai 600003.

25	SOUTHERN RAILWAY	CW/TC/C/192/WC/GB/BOGIE FRAME	Cleaning of BG Coach Bogie frames by Grit blasting at Central Workshop, Southern Railway, and Golden Rock.	05-Mar-2014 15:30	Dy.CME/Carriage/GOC Deputy Chief Mechanical Engineer/Carriage, Central Workshop, S.Rly. Golden rock, Trichy - 620 004
26	SOUTHERN RAILWAY-PALAKKAD	PGT-OT-1-2014-18	(1) Anti corrosive painting of Running rails & Guard rails on girder bridges in Assistant Divisional Engineer/Cannanore and Mangalore Sub-divisions. (2) Washing and painting of steel channel sleepers of bridges in Assistant Divisional Engineer/Mangalore and Cannanore Sub-divisions.	20-Mar-2014 15.00	DRM/W/PGT Divisional Railway Manager/Works, Southern Railway, Palghat-678 002
27	SOUTHERN RAILWAY-PALAKKAD	PGT-OT-1-2014-17	Complete scraping and painting of steel girders of bridges, painting of FOBs, over coat painting of girders in Assistant Divisional Engineer/Cannanore and Mangalore Sub-divisions.	20-Mar-2014 15.00	DRM/W/PGT Divisional Railway Manager/Works, Southern Railway, Palghat-678 002
28	NCTPS	SE/M-I/NCTPS/255/13-14	NCTPS-MI-BM-Unit I-ESP- Cleaning, scrapping & painting of one coat of red oxide and two coats of enamel paint of ESP supporting steel structures.	12-Mar-2014 14.00	SE/Mech.Maint I NCTPS E-Mail: sem1nctps@tneb.net.org Address: OFFICE OF THE SUPERINTENING ENGINEER/ MECHANICAL-I, NCTPS/CHENNAI-120.  City: CHENNAI

Project : Hull No.P004  
Blasting & Painting of Blocks